

Client: High Tide Compounds

Certified: 07/02/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	HTC-3 RT	Form	Lyophilized powder
Batch	RT20-004	Labeled Qty	20 mg
Mol. Formula	C221H342N46O68	CAS Number	2381089-83-2
Cap Color	White	Crimp Color	Bronze

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.680%
Batch Avg Net Content	(~20mg)	21.17 mg
Identity Confirmation (LC-MS)	(HTC-3 RT)	HTC-3 RT
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass
Microbial Sterility Screen	(No Growth)	No Growth

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.767	21.86
Vial 2	99.593	20.48
Batch Average	99.680%	21.17 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm

