

Client: High Tide Compounds

Certified: 07/27/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	BPC-157 + TB500	Form	Lyophilized Powder
Batch	WV20-003	Labeled Qty	20 mg
Cap Color	Black	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.775%
Blend Avg Net Content	(~20mg)	20.98 mg
Blend Identification (LC-MS)	(BPC-157 + TB500)	BPC-157 + TB500
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Microbial Sterility Screen	(No Growth)	No Growth

BATCH CONFORMITY RESULTS

Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.716	20.94
Vial 2	99.834	21.01
Batch Average	99.775%	20.98 mg

BLEND COMPONENT ANALYSIS


Component	Labeled	Measured
BPC-157	10 mg	11.74 mg
TB-500	10 mg	9.19 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lamar Arghandinal
Lab Director



koveralabs.com/verify

Report#: KVR-2026-4BC180
Access Code: AWWLO9Z