

Client: High Tide Compounds

Certified: 08/06/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	HTC-3 RT	Form	Lyophilized Powder
Batch	RT10-005	Labeled Qty	10 mg
Cap Color	Green	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.344% 
Batch Avg Net Content	(~10mg)	11.38 mg 
Identity Confirmation (LC-MS)	(HTC-3 RT)	HTC-3 RT 
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS 
Microbial Sterility Screen	(No Growth)	No Growth 

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.291	11.36
Vial 2	99.397	11.41
Batch Average	99.344%	11.38 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandinal
Lab Director



koveralabs.com/verify

Report#: KVR-2026-D2C4C3
Access Code: I8SRIL4