



Client: High Tide Compounds

Certified: 08/06/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	HTC-3 RT	Form	Lyophilized Powder
Batch	RT30-005	Labeled Qty	30 mg
Cap Color	Black	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.801%
Batch Avg Net Content	(~30mg)	34.09 mg
Identity Confirmation (LC-MS)	(HTC-3 RT)	HTC-3 RT
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Microbial Sterility Screen	(No Growth)	No Growth

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.756	34.61
Vial 2	99.846	33.58
Batch Average	99.801%	34.09 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lamar Arghandinal
Lab Director



koveralabs.com/verify

Report#: KVR-2026-777E17
Access Code: JYS46DN