

Client: High Tide Compounds

Certified: 08/19/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	HTC -2 TZ	Form	Lyophilized Powder
Batch	TZ10-002	Labeled Qty	10 mg
Cap Color	Black	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.424%
Batch Avg Net Content	(~10mg)	11.35 mg
Identity Confirmation (LC-MS)	(HTC -2 TZ)	HTC -2 TZ
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Fentanyl Presence Analysis	(Not Detected)	Not Detected
Microbial Sterility Screen	(No Growth)	No Growth

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.331	11.39
Vial 2	99.516	11.31
Batch Average	99.424%	11.35 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandival
Lab Director



koveralabs.com/verify

Report#: KVR-2026-7F3B5A
Access Code: SQ1AET5